(19) World Intellectual Property Organization International Bureau



# 

(43) International Publication Date 21 December 2000 (21.12.2000)

PCT

### (10) International Publication Number WO 00/77678 A1

(51) International Patent Classification?:

(21) International Application Number: PCT/CA00/00629

(22) International Filing Date: 30 May 2000 (30.05.2000)

(25) Filing Language:

English

G06F 17/30

(26) Publication Language:

**English** 

(30) Priority Data:

2,275,028

14 June 1999 (14.06.1999)

CA

(71) Applicants and

(72) Inventors: BARRETT, Brad [CA/CA]; Suite 600, 700 West Pender Street, Vancouver, British Columbia V6C 1G8 (CA). VASILAKOS, John [CA/CA]; Suite 600, 700

West Pender Street, Vancouver, British Columbia V6C 1G8 (CA).

(74) Agent: OYEN, WIGGS, GREEN & MUTALA; Suite 480-The Station, 601 West Cordova Street, Vancouver, British Columbia V6B 1G1 (CA).

(81) Designated State (national): US.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

#### Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: METHOD AND SYSTEM FOR AN ADVANCED TELEVISION SYSTEM ALLOWING OBJECTS WITHIN AN EN-CODED VIDEO SESSION TO BE INTERACTIVELY SELECTED AND PROCESSED

(57) Abstract: Method and system allowing the user of an Advanced Television/Interactive Multimedia Platform (IMP) to identify and select a plurality of objects contained within an Encoded Video Session (EVS). Information related to the user selected object(s) may be accessed via a graphic user interface, and further processed via an Internet Access Information (IAI) hyperlink. The method is accomplished by an IMP comprising: alternate television/Internet video display; icon command processing; Internet communication; split screen display; storage ability; displaying a user controlled cursor; displaying user selectable objects in a hi-lighted manner; displaying caption data relating to the selectable objects; receiving, decoding and processing EVS data which is comprised of the user selectable object(s) x and y co-ordinates, product caption data and an IAI Hyperlink (Video Object Information (VOI)).

METHOD AND SYSTEM FOR AN ADVANCED TELEVISION SYSTEM ALLOWING OBJECTS WITHIN AN ENCODED VIDEO SESSION TO BE INTERACTIVELY SELECTED AND PROCESSED

5

10

15

20

# **Description**

Method and system allowing the user of an Advanced Television/Interactive Multimedia Platform (IMP) to identify and select a plurality of objects contained within an Encoded Video Session (EVS). Information related to the user selected object(s) may be accessed via a graphic user interface, and further processed via an Internet Access Information (IAI) hyperlink. The method is accomplished by an IMP comprising: alternate television/Internet video display; icon command processing; Internet communication; split screen display; storage ability; displaying a user controlled cursor; displaying user selectable objects in a hi-lighted manner; displaying caption data relat-ing to the selectable objects; receiving decoding and processing EVS data which is comprised of the user selectable objects; receiving decoding and processing EVS data which is comprised of the user selectable objects (s) x & y co-ordinates; product caption data and IAI Hyperlink (Video Object Information (VOI)).

25

#### WHAT IS CLAIMED IS:

- 1. A method and system allowing a user of an Advanced Television/Interactive Multimedia Platform (IMP) to identify and select a plurality of objects contained within an Encoded Video Session (EVS). The user selected objects can be accessed via a graphic user interface, and further processed an Internet Access Information (IAI) hyperlink.
- 2. A method in accordance with claim 1, wherein the Advanced Television/Interactive Multimedia Platform (IMP) which comprises:
  - (a) a means of receiving, processing and displaying television, internet, and/or other multimedia communication signals simultaneously;
  - (b) a means of receiving direct user input commands;
- 15 (c) a means of displaying Command Icons (CI);
  - (d) a means of displaying a user controlled graphic cursor;
  - (e) a means of performing split screen window display; and
  - (f) a processor integrated with the Advanced Television/Interactive Multimedia Platform (IMP);

20

- 3. An apparatus as in claim 1, further comprising a processor integrated with the Advanced Television/IMP which comprises:
  - (a) means of receiving, decoding, storing and processing an Encoded Video Session (EVS);
- (b) means of identifying and separating Video Object Information (VOI) form Video Broadcast Data (VBD) contained within Encoded Video Session (EVS);
  - (c) means of decoding, storing and processing Video Object Information contained within Encoded Video Session (EVS);

10

20

25

30

- (d) means of pausing the display image upon receiving a user input command while displaying user selectable object(s) in a hi-lighted manner;
- (e) means of user selectable object(s) in a hi-lighted manner;
- (f) means of determining whether an object has been selected from the EVS display by comparing user input command, and the position attributed to the object as derived from the object's VOI;
  - (g) means of retrieving and processing the VOI data associated with a user selected object;
  - (h) a means of displaying Command Icons (CI) on the IMP display;
  - (i) a means of receiving, processing and interpreting direct user input; and
- 15 (j) a means of communicating via an Internet communication module.
  - 4. A method in accordance with claim 1, wherein the Advanced Television/Interactive Multi Media Platform (IMP) is capable of:
    - (a) means of receiving, decoding, storing and processing an Encoded Video Session (EVS);
      - (b) means of identifying and separating Video Object Information (VOI) form Video Broadcast Data (VBD) contained within Encoded Video Session (EVS);
      - (c) means of decoding, storing and processing Video Object Information not contained within the Encoded Video Session (EVS), wherein the VOI is located in an alternate storage medium;
    - (d) means of processing the VOI, wherein the VOI will/may contain:

SUBSTITUTE SHEET (RULE 26)

i) the user selectable object(s) x & y Co-ordinates;

- ii) product caption data; and
- iii) an Internet Access Information (IAI) hyperlink.
- 5. A method in accordance with claim 1 wherein the processor comprises:
  - (a) means of temporarily pausing the video display image upon receiving a User Requested Interrupt (URI);
  - (b) means of storing Video Broadcast Data (VBD) for the duration of the User Requested Interrupt (URI);
  - (c) means of displaying all User Selectable Objects (USO) in a hilighted manner (as in diagram 1);
  - (d) means of displaying a user controlled cursor;
  - (e) means of displaying a Command Icon (CI) for each user selectable object;
  - (f) means of displaying a Graphic User Interface within a Secondary Display Window (SDW);
  - (g) means of processing user commands, wherein the user commands may/will comprise:
    - i) a User Requested Interrupt (URI);
    - ii) direction control of the position of a graphic cursor on the video display image;
    - iii) selecting an object or an available action; via a User Command Confirmation (UCC);
  - (h) means of allowing the user to cancel a previously issued URI wherein causing the video session to resume processing and display of the VBD;
  - (i) means of resuming the processing and display of a paused VBD at the same video frame image that the URI was issued;
  - (j) means of processing a time-out interrupt, which time-out occurs in absence of user activity during a pre-defined period of time, wherein the processing of the time out interrupt

20

- causes the interrupted video session to be resumed at the same video frame image that the URI was issued;
- (k) means of causing the VOI data to be displayed in a Graphic User Interface (GUI) which GUI is displayed within a Secondary Display Window (SDW), and the GUI may be of a appearance similar to the Graphic User Interface displayed in Diagram 2.
- 6. The method of claim 3, claim 4 and claim 5 wherein the Advanced Television/IMP comprises:
  - (a) means of displaying television, Internet and other multimedia communication data simultaneously on different windows of a split screen display; and
  - (b) means of displaying product caption data while the VBD is in progress.
  - 7. The method of claim 3, wherein the video broadcast signal contains:
    - (a) a VBD; and
    - (b) an IAI hyperlink to the VOI.

15

- 8. The apparatus described in claim 3, wherein the processor comprises:
  - (a) a means of processing television, internet or other multimedia communication data simultaneously;
- 25 (b) a means of identifying and processing a VOI Hyperlink contained within the video broadcast signal; and
  - (c) a means of retrieving the VOI from a remote storage location;
  - (d) a means of decoding starring and processing the VOI prior to/or simultaneously with the processing of the VBD.

10

15

- 9. The apparatus described in claim 3, wherein the processor comprises:
  - (a) a means of simultaneously processing television internet or other multimedia communication data;
  - (b) a means of receiving and storing VOI prior to receiving the video broadcast signal; and
    - (c) a means of identifying the precise video frame image where the URI was issued;
    - (d) a means of processing the VOI prior to/or simultaneously with the processing of the VBD.
- 10. The apparatus described in claim 3, wherein the processor comprises:
  - (a) a means of simultaneously processing television internet or other multimedia communication data;
  - (b) a means of identifying the precise video frame image where the URI was issued:
  - (c) a means of locating an IAI hyperlink previously stored within the processor memory;
- 20 (d) a means of processing the IAI hyperlink to a remote storage location location;
  - (e) a means of retrieving from a remote storage location VOI associated with the video frame image where the URI was issued;
- 25 (f) a means of decoding storing and processing the VOI prior to/or simultaneously with the processing of the VBD.

#### 11. A method wherein:

(a) a means of processing the URI request where the video display image will divide into a plurality of windows, of which one window will display the un-paused VBD, while the

secondary display window (SDW) will display the GUI where the Graphic User Interface (GUI) comprises:

- i) a means of displaying User Selectable Object's (USO) in a hi-lighted manner (Diagram 1);
- ii) Product Caption Window (Diagram 3);
- iii) user Command Icons (CI); and
- iv) further processing via an IAI hyperlink.
- 12. The method of claim 1, claim 2 and claim 3 wherein the processing of the VOI can be delayed and stored for processing at a later time.
  - 13. The method of claim 11 wherein a plurality of objects may be selected, stored and subsequently executed.
- 15 14. A method to execute a user selected IAI hyperlink and CI command pre-stored during a previous session.

20

5

25

## INTERNATIONAL SEARCH REPORT

Intel anal Application No PCT/CA 00/00629

IPC 7	FICATION OF SUBJECT MATTER G06F17/30			
		•		
	o International Patent Classification (IPC) or to both national of	dassification and IPC		
	SEARCHED			
IPC 7	ocumentation searched (classification system followed by clased $G06F$	ssification symbols)		
Documental	tion searched other than minimum documentation to the exter	nt that such documents are included in the fields	searched	
	ata base consulted during the international search (name of o ternal, WPI Data, PAJ, INSPEC, I		ed)	
C 5000	TATE CONSIDERED TO DE CONSIDERA			
	ENTS CONSIDERED TO BE RELEVANT	·		
Category *	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to claim No.	
X	WO 98 47084 A (SHARP KK) 22 October 1998 (1998-10-22) abstract		1-4,6,9, 12,14	
	page 3, line 13 -page 5, line page 6, line 19 -page 8, line	20; figure 1 15; figure 3		
X A	EP 0 840 241 A (IBM) 6 May 1998 (1998-05-06)		1-4	
	abstract column 4, line 4 -column 5, l figures 1,2	ine 9;	3	
X	US 5 774 666 A (PORTUESI MICHA 30 June 1998 (1998-06-30) abstract column 4, line 47 -column 7, 1	·	1,2,4,6	
	figures 2-4; tables 1-7 	-/		
X Furth	ner documents are listed in the continuation of box C.	χ Patent family members are listed	in annex.	
<ul> <li>Special categories of cited documents:</li> <li>"A" document defining the general state of the art which is not considered to be of particular relevance</li> <li>"E" earlier document but published on or after the international filing date</li> <li>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</li> <li>"O" document referring to an oral disclosure, use, exhibition or other means</li> <li>"P" document published prior to the international filing date but later than the priority date claimed</li> </ul>		"Y" document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention.  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone.  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family		
Date of the a	actual completion of the international search	Date of mailing of the international sea		
15	September 2000	22/09/2000		
Name and m	hailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax: (+31-70) 340-3016	Authorized officer Polzer, A		
nem BCTAS AD	10 (second sheet) (July 1992)			

## INTERNATIONAL SEARCH REPORT

Inte onal Application No PCT/CA 00/00629

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT							
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.					
· · · · · · · · · · · · · · · · · · ·		Train varia to diamin vo.					
X	"MULTIMEDIA HYPERVIDEO LINKS FOR FULL MOTION VIDEOS"	1,2					
	IBM TECHNICAL DISCLOSURE BULLETIN, US, IBM CORP. NEW YORK,						
	vol. 37, no. 4A, 1 April 1994 (1994-04-01), page 95 XP000446196						
	ISSN: 0018-8689 the whole document						
A <sup>.</sup>	ANHALT N ET AL: "INTERAKTIVES VIDEO IM INTERNET"	1,11,14					
	RUNDFUNKTECHNISCHE MITTEILUNGEN,DE,MENSING. NORDERSTEDT, vol. 42, no. 4, December 1998 (1998-12), pages 126-133, XP000799261 ISSN: 0035-9890 page 129, right-hand column, line 12 -page						
	132, left-hand column, line 17; figures 7-12						
:							
•							
•							
		1					

#### INTERNATIONAL SEARCH REPORT

Information on patent family members

Inte /onal Application No PCT/CA 00/00629

Patent document cited in search repor	t	Publication date	Patent family member(s)	Publication date
WO 9847084	Α	22-10-1998	NONE	
EP 0840241	A .	06-05-1998	CN 1181677 A CA 2218152 A JP 10187402 A SG 64452 A	13-05-1998 01-05-1998 21-07-1998 27-04-1999
US 5774666	Α	30-06-1998	US 5987509 A	16-11-1999

THIS PAGE BLANK (USPTO)